

L Number	Hits	Search Text	DB	Time stamp
4	0	assign\$ with "product code" same "unknown product"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 11:09
5	0	assign\$ with "product code" same "unidentified product"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 11:09
6	0	label with "product code" same "unidentified product"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 11:09
7	0	label with "product code" same "unknown product"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 11:09
8	384	label with "product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 11:36
9	1	((label with "product code") and ((unknown or unidentified) with product)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 11:13
10	1	((label with "product code") and "raw data" same product	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 11:14
11	11	((label with "product code") and (assign\$ with "product code"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 12:25
12	8433	((unidentified or unknown) with product	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 12:26
13	0	((unidentified or unknown) with product) and "assign product code" same unidentified	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 12:26
14	0	((unidentified or unknown) with product) and "assign product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 12:26
15	1	((unidentified or unknown) with product) and (assign with "product code")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 12:27
16	5	((unidentified or unknown) with product) and (generat\$3 with "product code")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 12:28

L Number	Hits	Search Text	DB	Time stamp
4	0	assign\$ with "product code" same "unknown product"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 11:09
5	0	assign\$ with "product code" same "unidentified product"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 11:09
6	0	label with "product code" same "unidentified product"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 11:09
7	0	label with "product code" same "unknown product"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 11:09
8	384	label with "product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 11:36
9	1	((label with "product code") and ((unknown or unidentified) with product)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 11:13
10	1	((label with "product code") and "raw data" same product	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 11:14
11	11	((label with "product code") and (assign\$ with "product code"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 12:25
12	8433	((unidentified or unknown) with product	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 12:26
13	0	((unidentified or unknown) with product) and "assign product code" same unidentified	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 12:26
14	0	((unidentified or unknown) with product) and "assign product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 12:26
15	1	((unidentified or unknown) with product) and (assign with "product code")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 12:27
16	5	((unidentified or unknown) with product) and (generat\$3 with "product code")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/17 12:28
-	2068	(707/104,104.1).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/16 18:23

-	1048	((707/104,104.1).CCLS.) and product\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/03 10:42
-	186	((((707/104,104.1).CCLS.) and product\$1) and (product with (code or identifier)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/03 10:43
-	705 28 707 104.9 102 200	(((((707/104,104.1).CCLS.) and product\$1) and (product with (code or identifier))) and ((identif\$ and unidentif\$) with product))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/03 10:44
-	95	(((((707/104,104.1).CCLS.) and product\$1) and (product with (code or identifier))) and ((identif\$ or unidentif\$) with product))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/03 10:45
-	89	(((((707/104,104.1).CCLS.) and product\$1) and (product with (code or identifier))) and ((identif\$ or unidentif\$) with product)) and (compar\$ or match\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/03 10:45
-	87	((((((707/104,104.1).CCLS.) and product\$1) and (product with (code or identifier))) and ((identif\$ or unidentif\$) with product)) and (compar\$ or match\$)) and data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/03 11:20
-	26	((((((707/104,104.1).CCLS.) and product\$1) and (product with (code or identifier))) and ((identif\$ or unidentif\$) with product)) and (compar\$ or match\$) and data) and pars\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/03 11:22
-	33	((707/104,104.1).CCLS.) and "product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/03 16:11
-	5	((((707/104,104.1).CCLS.) and product\$1) and (generating with product with code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/06 09:59
-	237	(generating with ("product code" or "product data")) and product\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/06 10:00
-	38	((generating with ("product code" or "product data")) and product\$1) and identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/06 10:01
-	24	((generating with ("product code" or "product data")) and product\$1) and database) and identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/06 10:01
-	13	(((((generating with ("product code" or "product data")) and product\$1) and database) and identifier) and compar\$ and assign\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/06 10:02
-	57	((generating with ("product code" or "product data")) and product\$1) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/06 15:54

-	6	"standardized product data" or "standardized product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/11 15:19
-	15	"generating product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/11 15:18
-	1160	database and "product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/06 17:31
-	762	(database and "product code") and ((compar\$ or receiv\$) with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/06 17:33
-	5	((database and "product code") and ((compar\$ or receiv\$) with data)) and ("unknown products" or "unidentified product")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/06 17:39
-	235	((database and "product code") and ((compar\$ or receiv\$) with data)) and (match\$ with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/06 17:40
-	52	((database and "product code") and ((compar\$ or receiv\$) with data)) and (match\$ with data)) and ("product description")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/10 17:14
-	184	"standardized code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/10 17:17
-	51047	"bar code" or "product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/10 17:18
-	3	"standardized code" and "raw data"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/10 17:18
-	3	("standardized code" and "raw data") and identif\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/10 17:20
-	60	"standardized code" and ((product with classif\$) or (product with identif\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/10 17:27
-	0	("standardized code" and ((product with classif\$) or (product with identif\$))) and "confidence measure"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/10 17:28
-	3	"confidence measure" same guess	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/10 17:28

-	238	generating with ("product code" or "product data")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/11 15:20
-	45	(generating with ("product code" or "product data")) and (product with database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/11 15:21
-	34	((generating with ("product code" or "product data")) and (product with database)) and ((receiv\$ or input) with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/11 15:22
-	15	((((generating with ("product code" or "product data")) and (product with database)) and ((receiv\$ or input) with data)) and ((assign\$ or provid\$) same (product with code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/11 16:06
-	942	"product database"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/11 16:06
-	255	"product database" and ("product code" or "product identifier" or "bar code")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/11 16:07
-	2	((("product database" and ("product code" or "product identifier" or "bar code")) and assign\$ and compar\$ and receiv\$) and ((match\$ with product) same ((assign\$ with identifier) or (assign\$ with "product code"))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/11 16:27
-	51	((("product database" and ("product code" or "product identifier" or "bar code")) and assign\$ and compar\$ and receiv\$) and "product description"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/11 16:59
-	36	((("product database" and ("product code" or "product identifier" or "bar code")) and assign\$ and compar\$ and receiv\$) and "product description") and match\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/11 17:00
-	143	("product database" and ("product code" or "product identifier" or "bar code")) and assign\$ and compar\$ and receiv\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/13 10:48
-	1	((("product database" and ("product code" or "product identifier" or "bar code")) and assign\$ and compar\$ and receiv\$) and "confidence measure"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/13 10:57
-	423	"confidence measure"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/13 10:57
-	1	("confidence measure" and guess\$2) and (generating with guess)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/16 17:09
-	0	("confidence measure" and guess\$2) and (product near match\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/13 11:00

-	10	("confidence measure" and guess\$2) and similarity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/13 11:00
-	31	"confidence measure" and guess\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/13 11:28
-	81	generating with guess	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/13 11:29
-	1	((generating with guess) and product) and ("confidence measure")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/13 11:32
-	28	(generating with guess) and product	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/13 11:36
-	1	(generating with guess) and "confidence measure"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/13 11:36
-	0	(generating with guess) and "similarity measure"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/13 11:36
-	6818	"product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 14:23
-	311	"product code" with standard\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 14:23
-	27	("product code" with standard\$6) same assign\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 14:23
-	15	((("product code" with standard\$6) same assign\$5) and (assign\$5 with "product code"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 15:03
-	1033	assign\$5 with code with product	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 16:20
-	567	(assign\$5 with code with product) and standard\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 15:04
-	282	((assign\$5 with code with product) and standard\$6) and match\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 15:04

-	33	((assign\$5 with code with product) and standard\$6) and match\$3) and (raw with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 15:57
-	7	((((assign\$5 with code with product) and standard\$6) and match\$3) and (raw with data)) and "product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 15:19
-	26	((((assign\$5 with code with product) and standard\$6) and match\$3) and (raw with data)) not (((assign\$5 with code with product) and standard\$6) and match\$3) and (raw with data)) and "product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 15:57
-	274	assign\$5 with "product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 16:31
-	8	(assign\$5 with "product code") and ((unknown or unidentif\$3) with products)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 16:21
-	8	(assign\$5 with "product code") and ((unknown or unidentif\$3) with product)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 16:28
-	0	(assign\$5 with "product code") same "unknown product"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 16:29
-	0	(assign\$5 with "product code") same "unidentified product"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 16:30
-	1	assign\$5 with "product code" same ((unknown or unidentif\$3) with products)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 16:30
-	3	assign\$5 with "product code" same "known product"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 16:32
-	0	label with "product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 17:10